

GUIDELINES

Returning to Campuses






Proposed Phased Approach

BASED ON **UP-TO-DATE DATA** AND READINESS

MITIGATES RISK OF RESURGENCE

PROTECTS THE MOST VULNERABLE

IMPLEMENTABLE ON **STATEWIDE OR COUNTY-
BY-COUNTY** BASIS AT GOVERNORS' DISCRETION



Guidelines for All Phases: Individuals

CONTINUE TO PRACTICE GOOD HYGIENE

- ✓ Wash your hands with soap and water or use hand sanitizer, especially after touching frequently used items or surfaces.
- ✓ Avoid touching your face.
- ✓ Sneeze or cough into a tissue, or the inside of your elbow.
- ✓ Disinfect frequently used items and surfaces as much as possible.
- ✓ Strongly consider using face coverings while in public.

PEOPLE WHO FEEL SICK SHOULD STAY HOME

- ✓ Do not go to work or school.
- ✓ Contact and follow the advice of your medical provider.

Continue to adhere to State, local and CDC guidance, particularly with respect to face coverings.



Phased Approach

Phase I: Normal Operations

Phase II: Limited Operations

Phase III: Restricted Operations

Phase IV: Closed Campuses



Phased Approach

Phase I: Normal Operations

Phase II: Limited Operations

Phase III: Restricted Operations

Phase IV: Closed Campuses



Phased Approach

Phase IV: Closed Campuses

Phase III: Restricted Operations

Phase II: Limited Operations


Phase I: Normal Operations



Phase III


Restricted Operations

Continue operations remotely with limited on-campus presence and prepare to move to Phase II based on specific conditions at each location and department.




- ***Vulnerable Individuals* may request accommodation from supervisors**
- **Access restricted to entrance points with mandatory screening procedures**
- **All team members must wear protective face coverings**
- **Social distancing > 6 feet**
- **Avoid groups more than 10 people or max 25% of room capacity; whichever is less**

Phase III - Restricted Operations




Vulnerable Individuals

- **Over 65 years of age**
- **Serious underlying health conditions, including:**
 - **High blood pressure,**
 - **Chronic lung disease,**
 - **Diabetes,**
 - **Obesity (body mass index >40),**
 - **Asthma, and those whose**
 - **Immuno-compromised**




- Protective face coverings mandatory
- Continue [Remote work agreements](#) and [Pandemic Leave](#)
- As guidelines and availability increases, TTUHSC Clinical Task Force will give guidance on COVID-19 and antigen and antibodies testing.

Phase III - Restricted Operations




- Continue mission-critical operations
- Minimize nonessential travel
- Recruitment for mission-critical positions only

Phase III - Non-clinical Operations




- **Continue mission-critical operations**
- **Minimize nonessential travel**
- **Recruitment for mission-critical positions only**

Phase III - Non-clinical Operations




- **Resume elective surgeries and procedures**
- **Wear appropriate PPE with patient contact**
- **Continue telehealth when possible**
- **Patient only for in-person clinical appointments**
- **Patients and escorts screened upon entry; and must wear protective face coverings**

Phase III - Clinical Operations




- **Telehealth visits as appropriate**
- **Follow TDCJ timeline for resuming offender movement/transports**

Phase III – Managed Care Operations




- **Continue all online coursework**
- **Student clinical rotations may continue with adequate PPE**

Phase III – Academic Operations



- **Resume essential new animal experiments**
- **Essential personnel may return to laboratory spaces to resume important experiments**
- **Appropriate PPE must be worn**
- **Maintain social distancing > 6 feet**
- **Principal Investigators determine number of lab personnel**

Phase III - Research Operations



Guidelines for All Phases: Employers

Develop and implement appropriate policies, in accordance with Federal, State, and local regulations and guidance, and informed by industry best practices, regarding:

- ✓ Social distancing and protective equipment
- ✓ Temperature checks
- ✓ **Sanitation**
- ✓ **Use and disinfection of common and high-traffic areas**
- ✓ Business travel

Monitor workforce for indicative symptoms. Do not allow symptomatic people to physically return to work until cleared by a medical provider.

Develop and implement policies and procedures for workforce contact tracing following employee COVID+ test.